










bei den angeführten Preisen handelt es sich um Nettoverkaufspreise!




ArcSource 1								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
	1 x 1 Watt HighPower LED, 9-35V DC or 6-24 V AC input voltage, 1.6W power consumption, Typical Lumen Maintenance 70% @ 50,000 hours, stainless steel housing, top flange of 45mm diameter, body 94 mm depth, glass cover, IP 68 Protection factor	ArcSource 1 single colour	1006 0603	ArcSource 1 Green 10°	R, G, B, A	10°, Asymetric Narrow, Asimetric Medium, SuperWide		138,00 €
		ArcSource 1 white	1006 0601	ArcSource 1 CoolWhite 10°	CW, WW	10°, Asymetric Narrow, Asimetric Medium, SuperWide		138,00 €
ArcSource 4 MC								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
		ArcSource 4 MC						211,00 €
ArcSource 3, 6, 7 (MR16)								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
	3 x / 6 x / 7 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, 50mm diameter, 82mm depth, fits standard MR16 - Down Light Fitting	ArcSource 3 RGB	1006 0101	ArcSource 3 RGB, 25°		6°, 15°, 25°, 38°		80,00 €
		ArcSource 3 single colour	1006 0107	ArcSource 3 B, 25°	R, G, B, A	6°, 15°, 25°, 38°		82,00 €
		ArcSource 3 white	1006 0104	ArcSource 3 CW, 25°	CW, WW	6°, 15°, 25°, 38°		87,00 €
		ArcSource 6 RGB	1006 0111	ArcSource 6 RGB, 25°		6°, 25°		124,00 €
		ArcSource 6 single colour	1006 0117	ArcSource 6 B, 25°	R, G, B, A	6°, 25°		129,00 €
		ArcSource 6 white	1006 0113	ArcSource 6 CW, 25°	CW, WW	6°, 25°		138,00 €
		ArcSource 6 RGBwhite	1006 0114	ArcSource 6 WWRGB, 25°	RGB+3white	6°, 25°		133,00 €
		ArcSource 7 RGBwhite	1006 0129	ArcSource 7 RGBWW, 25°	2R+2B+2G+1w	6°, 25°		156,00 €
		ArcSource 7 single colour	1006 0125	ArcSource 7 B, 25°	R, G, B, A	6°, 25°		156,00 €
		ArcSource 7 white	1006 0123	ArcSource 7 CW, 25°	CW, WW	6°, 25°		173,00 €
ArcSource 4, 24 MC								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
		ArcSource 4 MC	1006 2053					91,00 €
		ArcSource 24 MC	1006 2054					316,00 €

Aolis price list May 2011


ArcSource 12 (AR1-11)								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
	12 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, 111mm diameter, 54mm depth, fits standard AR1-11 housings	ArcSource 12 RGB	1006 0131	ArcSource 12 RGB, 25°		6°, 15°, 25°, 38°		236,00 €
		ArcSource 12 single colour	1006 0139	ArcSource 12 B, 25°	R, G, B, A	6°, 15°, 25°, 38°		244,00 €
		ArcSource 12 white	1006 0137	ArcSource 12 WW, 25°	CW, WW	6°, 15°, 25°, 38°		258,00 €
		ArcSource 12 RGBwhite	1006 0135	ArcSource 12 RGBWW, 25°	2R+2G+2B+6W	6°, 15°, 25°, 38°		249,00 €



ArcSource 12 SmartWhite (AR1-11)								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
	12 x 1 Watt HighPower LEDs, 6 warm white LEDs 3500K, 6 cool white LEDs 6300K, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, 111mm diameter, 54mm depth, fits standard AR1-11 housings	ArcSource 12 SW	1006 0136	ArcSource 12 SW, 25°		6°, 15°, 25°, 38°		260,00 €



ArcSource 3/HP,K2								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
	3 x 3W HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, 50mm diameter, 62 mm depth, convective cooling, fits standard MR16 housings	ArcSource 3/HP,K2 RGB	1016 0101	ArcSource 3/K2 RGB, 25°		6°, 15°, 25°, 38°		84,00 €
		ArcSource 3/HP,K2 single colour	1016 0106	ArcSource 3/K2 R, 25°	R, G, B, A	6°, 15°, 25°, 38°		87,00 €
		ArcSource 3/HP,K2 white	1016 0105	ArcSource 3/K2 WW, 25°	CW, WW	6°, 15°, 25°, 38°		91,00 €

ArcSource Inground 3, 6, 7								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
		ArcSource Inground 3 RGB	1006 0611	ArcSource Inground 3 RGB 25° round		6°, 15°, 25°, 38°	round	136,00 €
		ArcSource Inground 3 single colour	1006 0617	ArcSource Inground 3 B 25° round	R, G, B, A	6°, 15°, 25°, 38°	round	138,00 €
		ArcSource Inground 3 white	1006 0614	ArcSource Inground 3 CW 25° round	CW, WW	6°, 15°, 25°, 38°	round	142,00 €
		ArcSource Inground 3 RGB	1006 0721	ArcSource Inground 3 RGB 25° square		6°, 15°, 25°, 38°	square	140,00 €
		ArcSource Inground 3 single colour	1006 0726	ArcSource Inground 3 R 25° square	R, G, B, A	6°, 15°, 25°, 38°	square	142,00 €
		ArcSource Inground 3 white	1006 0724	ArcSource Inground 3 CW 25° square	CW, WW	6°, 15°, 25°, 38°	square	147,00 €
	3 x / 6 x / 7 x 1 Watt HighPower LEDs, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, IP 67 Protection factor	ArcSource Inground 6 RGB	1006 0621	ArcSource Inground 6 RGB 25° round		6°, 25°	round	200,00 €
		ArcSource Inground 6 single colour	1006 0626	ArcSource Inground 6 R 25° round	R, G, B, A	6°, 25°	round	204,00 €
		ArcSource Inground 6 white	1006 0623	ArcSource Inground 6 CW 25° round	CW, WW	6°, 25°	round	211,00 €
		ArcSource Inground 6 RGBwhite	1006 0625	ArcSource Inground 6 WWRGB 25° round	R+G+B+3W	6°, 25°	round	207,00 €
		ArcSource Inground 7 RGBwhite	1006 0631	ArcSource Inground 7 RGBCW 25° round	2R+2G+2B+W	6°, 25°	round	220,00 €
		ArcSource 7 white	1006 0636	ArcSource Inground 7 CW 6° round	CW, WW	6°, 25°	round	233,00 €






Aolis price list May 2011

ArcSource Inground 12, 36								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
	12 x 1 Watt HighPower LEDs, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, IP 67 Protection factor, Stainless Steel housing, glass transparent cover, 179mm diameter, 159 mm depth	ArcSource Inground 12 RGB	1006 0641	ArcSource Inground 12 RGB 25° round		6°, 15°, 25°, 38°	round	338,00 €
		ArcSource Inground 12 single colour	1006 0649	ArcSource Inground 12 B 25° round	R, G, B, A	6°, 15°, 25°, 38°	round	347,00 €
		ArcSource Inground 12 white	1006 0645	ArcSource Inground 12 WW 25° round	CW, WW, SW	6°, 15°, 25°, 38°	round	360,00 €
		ArcSource Inground 12 RGBwhite	1006 0646	ArcSource Inground 12 WWRGB 25° round	RGB+CW, WW	6°, 15°, 25°, 38°	round	351,00 €
	36 x 1 Watt HighPower LEDs, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, IP 67 Protection factor, Stainless Steel housing, glass transparent cover	ArcSource Inground 36 RGB	1006 0531	ArcSource Inground 36 RGB 25° round		6°, 15°, 25°, 38°	round	827,00 €
		ArcSource Inground 36 single colour	1006 0532		R, G, B, A	6°, 15°, 25°, 38°	round	853,00 €
		ArcSource Inground 36 white	1006 0533		CW, WW, SW	6°, 15°, 25°, 38°	round	893,00 €
		ArcSource Inground 36 RGBwhite	1006 0534		RGB+CW, WW	6°, 15°, 25°, 38°	round	867,00 €



ArcSource Outdoor 3, 6, 7								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
		ArcSource Outdoor 3 RGB	1006 0651	ArcSource Outdoor 3 RGB 25°		6°, 15°, 25°, 38°		133,00 €
		ArcSource Outdoor 3 single colour	1006 0657	ArcSource Outdoor 3 B 25°	R, G, B, A	6°, 15°, 25°, 38°		136,00 €
		ArcSource Outdoor 3 white	1006 0654	ArcSource Outdoor 3 CW 25°	CW, WW	6°, 15°, 25°, 38°		140,00 €
		ArcSource Outdoor 6 RGB	1006 0511	ArcSource Outdoor 6 RGB 25°		6°, 25°		176,00 €
		ArcSource Outdoor 6 single colour	1006 0516	ArcSource Outdoor 6 B 25°	R, G, B, A	6°, 25°		180,00 €
		ArcSource Outdoor 6 white	1006 0513	ArcSource Outdoor 6 CW 25°	CW, WW	6°, 25°		187,00 €
		ArcSource Outdoor 6 RGBwhite	1006 0517	ArcSource Outdoor 6 RGBWW 25°	R+G+B+3W	6°, 25°		182,00 €
		ArcSource Outdoor 7 RGBwhite	1006 0521	ArcSource Outdoor 7 RGBCW 25°	2R+2G+2B+1W	6°, 25°		204,00 €
		ArcSource Outdoor 7 single colour	1006 0529	ArcSource Outdoor 7 B 25°	R, G, B, A	6°, 25°		200,00 €
		ArcSource Outdoor 7 white	1006 0527	ArcSource Outdoor 7 WW 25°	CW, WW	6°, 25°		218,00 €


ArcSource Outdoor 12, 36								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
	12 x / 36 x 1 Watt HighPower LEDs, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, IP 68 Protection factor, Stainless steel top flange and housing, transparent glass cover	ArcSource Outdoor 12 RGB	1006 0661	ArcSource Outdoor 12 RGB 25°		6°, 15°, 25°, 38°		338,00 €
		ArcSource Outdoor 12 single colour	1006 0669	ArcSource Outdoor 12 A 15°	R, G, B, A	6°, 15°, 25°, 38°		347,00 €
		ArcSource Outdoor 12 white	1006 0665	ArcSource Outdoor 12 WW 25°	CW, WW, SW	6°, 15°, 25°, 38°		360,00 €
		ArcSource Outdoor 12 RGBwhite	1006 0666	ArcSource Outdoor 12 RGBWW 25°	2R+2G+2B+6W	6°, 15°, 25°, 38°		351,00 €
		ArcSource Outdoor 36 RGB	1006 0741	ArcSource Outdoor 36 RGB 25°		6°, 15°, 25°, 38°		789,00 €
		ArcSource Outdoor 36 single colour	1006 0744	ArcSource Outdoor 36 B 25°	R, G, B, A	6°, 15°, 25°, 38°		816,00 €
		ArcSource Outdoor 36 white	1006 0743	ArcSource Outdoor 36 CW 25°	CW, WW, SW	6°, 15°, 25°, 38°		856,00 €

Aolis price list May 2011

ArcSource Wall 3, ArcSource Twin Wall 3									
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price	
	3 x / 6 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, IP 54 protection factor, Stainless steel body, transparent glass cover	ArcSource Wall 3 RGB	1006 0141	ArcSource Wall 3 RGB, 25°		6°, 15°, 25°, 38°		162,00 €	
		ArcSource Wall 3 single colour	1006 0147	ArcSource Wall 3 B, 25°	R, G, B, A	6°, 15°, 25°, 38°		171,00 €	
		ArcSource Wall 3 white	1006 0144	ArcSource Wall 3 CW, 25°	CW, WW	6°, 15°, 25°, 38°		176,00 €	
	3 x / 6 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, IP 54 protection factor, Stainless steel body, transparent glass cover	ArcSource Twin Wall 3 RGB	1006 0151	ArcSource Twin Wall 3 RGB, 25°		6°, 15°, 25°, 38°		249,00 €	
		ArcSource Twin Wall 3 single colour	1006 0158	ArcSource Twin Wall 3 G, 25°	R, G, B, A	6°, 15°, 25°, 38°		251,00 €	
		ArcSource Twin Wall 3 WW	1006 0154	ArcSource Twin Wall 3 CW, 25°	CW, WW	6°, 15°, 25°, 38°		256,00 €	
ArcDot, ArcPower Dot									
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price	
		ArcDot	1006 2105					140,00 €	
		ArcPower Dot	1006 5051					658,00 €	
ArcLink 3, ArcLink Optic 3									
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price	
	3 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, 141mm length, 29 mm width, 20mm high, convective cooling	ArcLink 3 RGB (6pcs)	1006 0401	ArcLink 3 RGB 6 pcs in box			170°	333,00 €	
		ArcLink 3 single colour (6pcs)	1006 0404	ArcLink 3 G 6 pcs in box	R, G, B, A		170°	336,00 €	
		ArcLink 3 white (6pcs)	1006 0408	ArcLink 3 WW 6 pcs in box	CW, WW			170°	340,00 €
		ArcLink 3 mix (6pcs)	1006 0409	ArcLink 3 WWAWW 6 pcs in box				170°	340,00 €
	3 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, 141mm length, 29 mm width, 24mm high, convective cooling	ArcLink Optic 3 RGB (6pcs)	1006 0411	ArcLink Optic 3 RGB 25°x6°, 6 pcs in box			6°, 15°, 25°, 38°, 25x6°	364,00 €	
		ArcLink Optic 3 single colour (6 pcs)	1006 0414	ArcLink Optic 3 G 25°x6°, 6 pcs in box	R, G, B, A		6°, 15°, 25°, 38°, 25x6°	367,00 €	
		ArcLink Optic 3 white (6pcs)	1006 0417	ArcLink Optic 3 CW 25°x6°, 6 pcs in box	CW, WW			6°, 15°, 25°, 38°, 25x6°	371,00 €
		ArcLink Optic 3 mix (6 pcs)	1006 0412	ArcLink Optic 3 WWACW 25°x6°, 6 pcs in box				6°, 15°, 25°, 38°, 25x6°	371,00 €





Aolis price list May 2011

ArcLink 4, ArcLink Optic 4								
Photo	Description	Product	kód zástupce	název zástupce pro kontrolu	LED Variant	Model	Connection	Retail Price
	4 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, 141mm length, 29 mm width, 20mm high, convective cooling	ArcLink 4 RGBwhite (6pcs)	1006 0941	ArcLink 4 RGBWW, 6 pcs in box	RGB+CW, WW	170°		413,00 €
		ArcLink 4 single colour (6pcs)	1006 0946	ArcLink 4 B, 6 pcs in box	R, G, B, A	170°		411,00 €
		ArcLink 4 white (6pcs)	1006 0944	ArcLink 4 SW, 6 pcs in box	CW, WW	170°		420,00 €
	4 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED Life Expectancy minimum 50,000 hours, 141mm length, 29 mm width, 24mm high, convective cooling	ArcLink Optic 4 RGBwhite (6pcs)	1006 0951	ArcLink Optic 4 RGBWW 25°x6°, 6 pcs in box	RGB+CW, WW	6°, 15°, 25°, 38°, 25x6°		491,00 €
		ArcLink Optic 4 single colour (6pcs)	1006 6952	ArcLink Optic 4 B 38°, 6 pcs in box	R, G, B, A	6°, 15°, 25°, 38°, 25x6°		489,00 €
		ArcLink Optic 4 white (6pcs)	1006 5956	ArcLink Optic 4 SW 25°x6°, 6 pcs in box	CW, WW	6°, 15°, 25°, 38°, 25x6°		498,00 €


ArcLine 12, 18, 24, 36									
Photo	Description	Product			LED Variant	Model	Connection	Retail Price	
	12 x / 18 x / 24 x / 36 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hrs, LED Life Expectancy minimum 50,000 hrs, rear or side cable connection	ArcLine 12 RGB	1006 0211	ArcLine 12 RGB, rear conn.			170° rear, side	189,00 €	
		ArcLine 12 single colour	1006 0213	ArcLine 12 B, rear conn.	R, G, B, A		170° rear, side	198,00 €	
		ArcLine 12 white	1006 0212	ArcLine 12 CW, rear conn.	CW, WW			170° rear, side	211,00 €
		ArcLine 18 RGB	1006 0271	ArcLine 18 RGB, rear conn.				170° rear, side	276,00 €
		ArcLine 18 single colour	1006 0265	ArcLine 18 B, side conn.	R, G, B, A			170° rear, side	289,00 €
		ArcLine 18 white	1006 0272	ArcLine 18 CW, rear conn.	CW, WW			170° rear, side	309,00 €
		ArcLine 24 RGB	1006 0231	ArcLine 24 RGB, rear conn.				170° rear, side	351,00 €
		ArcLine 24 single colour	1006 0234	ArcLine 24 B, rear conn.	R, G, B, A			170° rear, side	369,00 €
		ArcLine 24 white	1006 0233	ArcLine 24 CW, rear conn.	CW, WW			170° rear, side	396,00 €
		ArcLine 36 RGB	1006 0251	ArcLine 36 RGB, rear conn.				170° rear, side	504,00 €
ArcLine 36 single colour	1006 0256	ArcLine 36 G, rear conn.	R, G, B, A			170° rear, side	531,00 €		
ArcLine 36 WW	1006 0252	ArcLine 36 CW, rear conn.	CW, WW			170° rear, side	571,00 €		


ArcLine Optic 12, 18, 24, 36								
Photo	Description	Product			LED Variant	Model	Connection	Retail Price
	12 x / 18 x / 24 x / 36 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hrs, LED Life Expectancy minimum 50,000 hrs, rear or side cable connection	ArcLine Optic 12 RGB	1006 0312	ArcLine Optic 12 RGB, 25°, rear conn.		6°, 15°, 25°, 38°, 25x6°	rear, side	209,00 €
		ArcLine Optic 12 single colour	1006 0319	ArcLine Optic 12 B, 25°x6° rear conn.	R, G, B, A	6°, 15°, 25°, 38°, 25x6°	rear, side	218,00 €
		ArcLine Optic 12 white	1006 0317	ArcLine Optic 12 WW, 25°x6°, rear conn.	CW, WW	6°, 15°, 25°, 38°, 25x6°	rear, side	231,00 €
		ArcLine Optic 18 RGB	1006 0372	ArcLine Optic 18 RGB, 25°, rear conn.		6°, 15°, 25°, 38°, 25x6°	rear, side	298,00 €
		ArcLine Optic 18 single colour	1006 0377	ArcLine Optic 18 R, 25°x6°, rear conn.	R, G, B, A	6°, 15°, 25°, 38°, 25x6°	rear, side	311,00 €
		ArcLine Optic 18 white	1006 0376	ArcLine Optic 18 WW, 25°x6°, rear conn.	CW, WW	6°, 15°, 25°, 38°, 25x6°	rear, side	331,00 €
		ArcLine Optic 24 RGB	1006 0322	ArcLine Optic 24 RGB, 25°, side conn.		6°, 15°, 25°, 38°, 25x6°	rear, side	389,00 €
		ArcLine Optic 24 single colour	1006 0335	ArcLine Optic 24 B, 25°x6°, rear conn.	R, G, B, A	6°, 15°, 25°, 38°, 25x6°	rear, side	407,00 €
		ArcLine Optic 24 white	1006 0337	ArcLine Optic 24 SW, 25°, rear conn.	CW, WW	6°, 15°, 25°, 38°, 25x6°	rear, side	433,00 €
		ArcLine Optic 36 RGB	1006 0352	ArcLine Optic 36 RGB, 25°, rear conn.		6°, 15°, 25°, 38°, 25x6°	rear, side	567,00 €
		ArcLine Optic 36 single colour	1006 0356	ArcLine Optic 36 R, 25°x6°, rear conn.	R, G, B, A	6°, 15°, 25°, 38°, 25x6°	rear, side	593,00 €
		ArcLine Optic 36 white	1006 0359	ArcLine Optic 36 WW, 25°x6°, rear conn.	CW, WW	6°, 15°, 25°, 38°, 25x6°	rear, side	633,00 €

Aolis price list May 2011




ArLine Optic 12, 24, 36 SmartWhite									
Photo	Description	Product		LED Variant	Model	Connection	Retail Price		
	12 x / 24 x / 36 x 1 Watt HighPower LEDs, RJ45 connector,max 18 warm white LEDs 3500K, 18 cool white LEDs 6300K, Typical Lumen Maintenance 70% @ 50,000 hrs, LED Life Expectancy minimum 50,000 hrs, rear or side cable connection	ArLine Optic 12 SW	1006 0306	ArLine Optic 12 SW, 25°x6°, side conn.		6°, 15°, 25°, 38°, 25x6°	rear, side	231,00 €	
		ArLine Optic 24 SW	1006 0327	ArLine Optic 24 SW, 25°, side conn.		6°, 15°, 25°, 38°, 25x6°	rear, side	433,00 €	
		ArLine Optic 36 SW	1006 0348	ArLine Optic 36 SW, 25°, side conn.		6°, 15°, 25°, 38°, 25x6°	rear, side	633,00 €	
ArLine Optic 3, 6; ArcLine Outdoor Optic 6									
Photo	Description	Product		LED Variant	Model	Connection	Retail Price		
	3 x / 6 x 1 Watt HighPower LEDs, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hrs, LED Life Expectancy minimum 50,000 hrs, rear or side cable connection	ArLine Optic 3 RGB				6°, 15°, 25°, 38°, 25x6°	rear, side	89,00 €	
		ArLine Optic 3 single colour			R,G,B,A	6°, 15°, 25°, 38°, 25x6°	rear, side	91,00 €	
		ArLine Optic 3 white (or mix)			CW, WW	6°, 15°, 25°, 38°, 25x6°	rear, side	96,00 €	
		ArLine Optic 6 RGB					6°, 15°, 25°, 38°, 25x6°	rear, side	111,00 €
		ArLine Optic 6 single colour				R,G,B,A	6°, 15°, 25°, 38°, 25x6°	rear, side	116,00 €
		ArLine Optic 6 white (or mix)				CW, WW	6°, 15°, 25°, 38°, 25x6°	rear, side	122,00 €
		ArLine Outdoor Optic 6 RGB					6°, 15°, 25°, 38°, 25x6°	rear, side	178,00 €
		ArLine Outdoor Optic 6 single colour				R,G,B,A	6°, 15°, 25°, 38°, 25x6°	rear, side	182,00 €
ArLine Outdoor Optic 6 white (or mix)				CW, WW	6°, 15°, 25°, 38°, 25x6°	rear, side	189,00 €		
ArLine, ArcLine Optic, AL Outdoor Optic 20,40 MC									
Photo	Description	Product		LED Variant	Model	Connection	Retail Price		
		ArLine 20MC	1006 2049				rear, side	300,00 €	
		ArLine Optic 20MC	1006 2050				rear, side	322,00 €	
		ArLine Outdoor Optic 20MC	1006 2052				rear, side	400,00 €	
		ArLine 40MC	1006 2051				rear, side	556,00 €	
		ArLine Optic 40MC	1006 2055				rear, side	600,00 €	
		ArLine Outdoor Optic 40MC	1006 2051				rear, side	722,00 €	



Aolis price list May 2011

ArLine Outdoor Optic 6, 12, 18, 24, 36/3W HP,K2							
Photo	Description	Product		LED Variant	Model	Connection	Retail Price
	12 x / 18 x / 24 x / 36 x HighPower 3W LEDs, RJ45 connector, Typical Lumen maintenance 70% @ 50,000 hrs, LED life expectancy minimum 50,000 hrs, aluminium body and transparent glass cover, IP65 protection factor, 94 HB flame class rating	ArLine Outdoor Optic 6/HP,K2 RGB	1016 1641	ArLine Outdoor Optic 6/K2 RGB 25°x6°, rear conn.		rear, side	189,00 €
		ArLine Outdoor Optic 6/HP,K2 single colour	1016 1657	ArLine Outdoor Optic 6/K2 G 25°x6°, rear	R, G, B, A	rear, side	193,00 €
		ArLine Outdoor Optic 6/HP,K2 white	1016 1670	ArLine Outdoor Optic 6/K2 WW 38°, rear	CW, WW	rear, side	200,00 €
		ArLine Outdoor Optic 12/HP,K2 RGB	1016 1001	ArLine Outdoor Optic 12/K2 RGB 25°x6°, rear conn.		rear, side	280,00 €
		ArLine Outdoor Optic 12/HP,K2 single colour	1016 1025	ArLine Outdoor Optic 12/K2 B 25°x6°, rear	R, G, B, A	rear, side	289,00 €
		ArLine Outdoor Optic 12/HP,K2 white	1016 1005	ArLine Outdoor Optic 12/K2 WW 25°x6°, rear	CW, WW, SW	rear, side	302,00 €
		ArLine Outdoor Optic 18/HP,K2 RGB	1016 1051	ArLine Outdoor Optic 18/K2 RGB 25°x6°, rear conn.		rear, side	411,00 €
		ArLine Outdoor Optic 18/HP,K2 single colour	1016 1071	ArLine Outdoor Optic 18/K2 B 25°x6°, rear	R, G, B, A	rear, side	424,00 €
		ArLine Outdoor Optic 18/HP,K2 white	1016 1055	ArLine Outdoor Optic 18/K2 WW 25°x6°, rear	CW, WW	rear, side	444,00 €
		ArLine Outdoor Optic 24/HP,K2 RGB	1016 1091	ArLine Outdoor Optic 24/K2 RGB 25°x6°, rear conn.		rear, side	504,00 €
		ArLine Outdoor Optic 24/HP,K2 single colour	1016 1115	ArLine Outdoor Optic 24/K2 B 25°x6°, rear	R, G, B, A	rear, side	522,00 €
		ArLine Outdoor Optic 24/HP,K2 white	1016 1095	ArLine Outdoor Optic 24/K2 WW 25°x6°, rear	CW, WW, SW	rear, side	549,00 €
		ArLine Outdoor Optic 36/HP,K2 RGB	1016 1141	ArLine Outdoor Optic 36/K2 RGB 25°x 6°, rear conn.		rear, side	707,00 €
		ArLine Outdoor Optic 36/HP,K2 single colour	1016 1165	ArLine Outdoor Optic 36/K2 B 25°x6°, rear	R, G, B, A	rear, side	733,00 €
ArLine Outdoor Optic 36/HP,K2 white	1016 1145	ArLine Outdoor Optic 36/K2 WW 25°x 6°, rear	CW, WW, SW	rear, side	773,00 €		




ArLine Double Outdoor Optic 12, 24, 36, 48, 72/HP,K2							
Photo	Description	Product		LED Variant	Model	Connection	Retail Price
	12 x / 24 x / 36 x / 48 x / 72 x HighPower 3W LEDs, RJ45 connector, Typical Lumen maintenance 70% @ 50,000 hrs, LED life expectancy minimum 50,000 hrs, aluminium body and transparent glass cover, IP65 protection factor, 94 HB flame class rating	ArLine Double Outdoor Optic 12/HP,K2 RGB	1016 1591	ArLine Double Outdoor Optic 12/K2 RGB 25°x6°, rear conn.		rear, side	280,00 €
		ArLine Double Outdoor Optic 12/HP,K2 single colour	1016 1615	ArLine Double Outdoor Optic 12/K2 B 25°x6°, rear	R, G, B, A	rear, side	289,00 €
		ArLine Double Outdoor Optic 12/HP,K2 white	1016 1595	ArLine Double Outdoor Optic 12/K2 WW 25°x6°, rear	CW, WW, SW	rear, side	302,00 €
		ArLine Double Outdoor Optic 24/HP,K2 RGB	1016 1401	ArLine Double Outdoor Optic 24/K2 RGB 25°x6°, rear conn.		rear, side	504,00 €
		ArLine Double Outdoor Optic 24/HP,K2 single colour	1016 1425	ArLine Double Outdoor Optic 24/K2 B 25°x6°, rear	R, G, B, A	rear, side	522,00 €
		ArLine Double Outdoor Optic 24/HP,K2 white	1016 1405	ArLine Double Outdoor Optic 24/K2 WW 25°x6°, rear	CW, WW, SW	rear, side	549,00 €
		ArLine Double Outdoor Optic 36/HP,K2 RGB	1016 1451	ArLine Double Outdoor Optic 36/K2 RGB 25°x6°, rear conn.		rear, side	707,00 €
		ArLine Double Outdoor Optic 36/HP,K2 single colour	1016 1471	ArLine Double Outdoor Optic 36/K2 B 25°x6°, rear	R, G, B, A	rear, side	733,00 €
		ArLine Double Outdoor Optic 36/HP,K2 white	1016 1455	ArLine Double Outdoor Optic 36/K2 WW 25°x6°, rear	CW, WW, SW	rear, side	773,00 €
		ArLine Double Outdoor Optic 48/HP,K2 RGB	1016 1491	ArLine Double Outdoor Optic 48/K2 RGB 25°x6°, rear conn.		rear, side	922,00 €
		ArLine Double Outdoor Optic 48/HP,K2 single colour	1016 1515	ArLine Double Outdoor Optic 48/K2 B 25°x6°, rear	R, G, B, A	rear, side	958,00 €
		ArLine Double Outdoor Optic 48/HP,K2 white	1016 1495	ArLine Double Outdoor Optic 48/K2 WW 25°x6°, rear	CW, WW, SW	rear, side	1 011,00 €
		ArLine Double Outdoor Optic 72/HP,K2 RGB	1016 1541	ArLine Double Outdoor Optic 72/K2 RGB 25°x6°, rear conn.		rear, side	1 300,00 €
		ArLine Double Outdoor Optic 72/HP,K2 single colour	1016 1565	ArLine Double Outdoor Optic 72/K2 B 25°x6°, rear	R, G, B, A	rear, side	1 353,00 €
ArLine Double Outdoor Optic 72/HP,K2 white	1016 1545	ArLine Double Outdoor Optic 72/K2 WW 25°x6°, rear	CW, WW, SW	rear, side	1 433,00 €		


Aolis price list May 2011

ArcPAR 3, 12									
Photo	Description	Product			LED Variant	Model	Housing	Retail Price	
	3 x 1 Watt HighPower LEDs, 4.2 Watts max. power consumption, RJ45 connector, Typical Lumen maintenance 70% @ 50,000 hrs, LED life expectancy minimum 50,000 hrs, IP 2X protection factor; Aluminium housing, transparent glass cover, Finish: white, silver, black	ArcPAR 3 RGB	1006 0911	ArcPar 3 RGB 25° White			6°, 15°, 25°, 38°	white, silver	133,00 €
		ArcPAR 3 single colour	1006 0920	ArcPar 3 R 25° White	R, G, B, A		6°, 15°, 25°, 38°	white, silver	133,00 €
		ArcPAR 3 white	1006 0917	ArcPar 3 WW 25° White	CW, WW		6°, 15°, 25°, 38°	white, silver	140,00 €
		ArcPAR 3 RGB	1006 0901	ArcPar 3 RGB 25° Black			6°, 15°, 25°, 38°	black	140,00 €
		ArcPAR 3 single colour	1006 0910	ArcPar 3 R 25° Black	R, G, B, A		6°, 15°, 25°, 38°	black	140,00 €
		ArcPAR 3 white	1006 0907	ArcPar 3 WW 25° Black	CW, WW		6°, 15°, 25°, 38°	black	147,00 €
	12 x 1 Watt HighPower LEDs, 16.6 Watts max. power consumption, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED life expectancy minimum 50,000 hrs, IP 2X protection factor, Aluminium housing, transparent glass cover, 186mm width, 140 mm high, 205mm depth, Finish: white, silver, black	ArcPAR 12 RGB	1006 0561	ArcPar 12 RGB 25° White			6°, 15°, 25°, 38°	white, silver	289,00 €
		ArcPAR 12 single colour	1006 5574	ArcPar 12 B 25° Silver	R, G, B, A		6°, 15°, 25°, 38°	white, silver	298,00 €
		ArcPAR 12 white	1006 0569	ArcPar 12 WW 25° White	CW, WW, SW		6°, 15°, 25°, 38°	white, silver	311,00 €
		ArcPAR 12 RGBwhite	1006 5562	ArcPar 12 WWRGB 25° White	2R+2G+2B+6W		6°, 15°, 25°, 38°	white, silver	298,00 €
	12 x 1 Watt HighPower LEDs, 16.6 Watts max. power consumption, RJ45 connector, Typical Lumen Maintenance 70% @ 50,000 hours, LED life expectancy minimum 50,000 hrs, IP 2X protection factor, Aluminium housing, transparent glass cover, 186mm width, 140 mm high, 205mm depth, Finish: white, silver, black	ArcPAR 12 RGB	1006 0551	ArcPar 12 RGB 25° Black			6°, 15°, 25°, 38°	black	298,00 €
		ArcPAR 12 single colour	1006 5574	ArcPar 12 B 25° Silver	R, G, B, A		6°, 15°, 25°, 38°	black	307,00 €
		ArcPAR 12 white	1006 0559	ArcPar 12 WW 25° Black	CW, WW, SW		6°, 15°, 25°, 38°	black	320,00 €
		ArcPAR 12 RGBwhite	1006 5552	ArcPar 12 WWRGB 25° Black	2R+2G+2B+6W		6°, 15°, 25°, 38°	black	307,00 €


ArcPad 48, ArcPad 48 Integral								
Photo	Description	Product			LED Variant	Model	Connection	Retail Price
	48 x HighPower LEDs, 60 W max. power consumption, typical Lumen maintenance 70% @ 60.000 hours, IP67 protection factor, ArcPower 48 (48 SW) recommended driver, adjustable "pan" (+45°/-45°) and "tilt" (+60°/-90°), cast aluminium housing	ArcPad 48 RGBwhite	1006 0971	ArcPad 48 RGBCW 25°	CW, WW		25°, 45°, 45°x15°	845,00 €
		ArcPad 48 white	1006 0974	ArcPad 48 WW 25°	CW,WW		25°, 45°, 45°x15°	845,00 €
	48 x HighPower LEDs, Power supply 100 - 240V AC, 50 / 60 Hz on board, 60 W max. power consumption, typical Lumen maintenance 70% @ 60.000 hours, IP67 protection factor, adjustable "pan" (+45°/-45°) and "tilt" (+60°/-90°), cast aluminium housing	ArcPad 48 Integral RGBwhite	1006 0981	ArcPad 48 Integral RGBCW 25°	CW, WW		25°, 45°, 45°x15°	1 278,00 €
		ArcPad 48 Integral white	1006 0990		CW,WW		25°, 45°, 45°x15°	1 278,00 €



Aolis price list May 2011


ArcPad Xtreme, ArcPad 94 Integral /EPS								
Photo	Description	Product			LED Variant	Model	Connection	Retail Price
		ArcPad 94 Integral	1006 0451					4 556,00 €
		ArcPad 94 Integral EPS	1006 2064					4 556,00 €
	188 x 3W HighPower LEDs, Power supply 100 - 240V AC, 50 / 60 Hz on board, 580 W max. power consumption, typical Lumen maintenance 70% @ 77.000 hours, IP67 protection factor, two independent LED module (position range -5° / +95°), cast aluminium housing	ArcPad Xtreme	1006 0441					6 000,00 €


ArcSource 96 Integral								
Photo	Description	Product			LED Variant	Model	Connection	Retail Price
	96 x 3W HighPower LEDs, Power supply 100 - 240V AC, 50 / 60 Hz on board, 200 W max. power consumption, typical Lumen maintenance 70% @ 76.000 hours, IP67 protection factor, mounting bracket position range +180°/-180°, cast aluminium housing	ArcSource 96 Integral	1006 0431	ArcSource 96 Intergral				2 220,00 €


Aolis price list May 2011

ArcWash Recessed 236							
Photo	Description	Product		LED Variant	Model	Colour	Retail Price
	100 - 240V AC, 50 / 60Hz input voltage, 8 or 14 DMX control channels, 530° pan / 280° tilt movement range, 8 or 16-bit movement resolution, Master / Slave and Stand-alone operation	ArcWash Recessed 236 RGB	1016 0812	ArcWash Recessed 236 RGB 25° white without Ceil.B.		6°, 25° White	1 820,00 €
		ArcWash Recessed 236 RGB	1016 0814	ArcWash Recessed 236 RGB 25° silver without Ceil.B.		6°, 25° Silver	1 820,00 €





ArcPower 9, 12							
Photo	Description	Product		LED Variant	Model	Connection	Retail Price
	230 - 240V AC, 50/60Hz input voltage, Max. load 1 x ArcSource 12, designed for ArcSource 12 single colour only, Terminals Pri/Sec: screw connection, thermal and short circuit protection, overvoltage and open circuit protection, dimensions: 111 x 52 x 24mm	ArcPower 9	1006 5015	ArcPower 9 (230-240V/50Hz)			30,00 €
		ArcPower 12	1006 5011	ArcPower 12 (230-240V/50Hz)			42,00 €

ArcPower 16x12							
Photo	Description	Product		LED Variant	Model	Connection	Retail Price
		ArcPower 16x12	1006 5031				898,00 €







ArcPower 36, 72, 144, 360							
Photo	Description	Product		LED Variant	Model	Connection	Retail Price
	100 - 240V AC, 50 / 60Hz input voltage, 350mA max. output current, DMX, Master / Slave and Stand-alone operation, RJ45 connectors	ArcPower 36	1006 0001	ArcPower 36 (silver 100-240V/50-60Hz)			216,00 €
		ArcPower 72	1006 0041	ArcPower 72 (silver 100-240V/50-60Hz)			396,00 €
		ArcPower 144	1006 0011	ArcPower 144 (silver 100-240V/50-60Hz)			687,00 €
		ArcPower 360	1006 0061	ArcPower 360 (silver 100-240V/50-60Hz)			1 638,00 €

ArcPower 36, 72, 144 + HP,K2 SmartWhite							
Photo	Description	Product		LED Variant	Model	Connection	Retail Price
	100 - 240V AC, 50 / 60Hz input voltage, DMX, Master / Slave and Stand-alone operation, 3-digit LED display, RJ45 connector(s)	ArcPower 36 SW	1006 0004	ArcPower SmartWhite 36 (silver 100-240V/50-60Hz)			216,00 €
		ArcPower 36/HP,K2 SW	1016 0001	ArcPower 36/K2 (silver 100-240V/50-60Hz)			373,00 €
		ArcPower 72 SW	1006 0042	ArcPower SmartWhite 72 (silver 100-240V/50-60Hz)			396,00 €
		ArcPower 72/HP,K2 SW	1016 0042	ArcPower SW 72/K2 (silver 100-240V/50-60Hz)			578,00 €
		ArcPower 144 SW	1006 0014	ArcPower SmartWhite 144 (silver 100-240V/50-60Hz)			687,00 €
		ArcPower 360 SW	1006 0062	ArcPower SmartWhite 360 (silver 100-240V/50-60Hz)			1 638,00 €




Aolis price list May 2011

ArcPower 36/HP,K2, 72/HP,K2								
Photo	Description	Product			LED Variant	Model	Connection	Retail Price
	100 - 240V AC, 50 / 60Hz input voltage, 700mA max. output current, DMX, Master / Slave and Stand-alone operation, RJ45 connectors	ArcPower 36/HP,K2	1016 0001	ArcPower 36/K2 (silver 100-240V/50-60Hz)				373,00 €
		ArcPower 72/HP,K2	1016 0041	ArcPower 72/K2 (silver 100-240V/50-60Hz)				578,00 €
ArcPower 16x6								
Photo	Description	Product			LED Variant	Model	Connection	Retail Price
	100 - 240V AC, 50 / 60Hz input voltage, 12V DC max. output voltage, DMX, Stand-alone operation, 2 DMX modes, 48 or 50 control channels, 5 built-in and 4 freely editable programs, Max. load per zone: 6 LEDs in RGB mode, 8 LEDs in RGBW mode, 4-digit LED display	ArcPower 16x6	1006 0051	ArcPower16x6 (silver 100-240V/50-60Hz)				656,00 €
ArcPower 48 / 48 Smart White								
Photo	Description	Product			LED Variant	Model	Connection	Retail Price
	Driver for ArcPad 3*48, 100 - 240V AC, 50 / 60Hz input voltage, 700mA (420mA Red), max.output current; 3, 4, 6 or 7 control channels; DMX, Master / Slave and Stand-alone operation, 10 built-in programs and 3 user editable up to 50steps	ArcPower 48 / 48 SW	1006 0071	ArcPower 48 (silver 100-240V/50-60Hz)				276,00 €
ArcPower 348 Rack-Mount								
Photo	Description	Product			LED Variant	Model	Connection	Retail Price
	100 - 250V AC, 50 / 60Hz input voltage, 700mA max. output current, DMX, Master / Slave and Stand-alone operation, Max. load per zone: 36 LEDs in RGB mode, 48 LEDs in RGBW mode, Blue / white LCD graphic, RJ45 connectors	ArcPower 348 Rack-Mount	1006 0081	ArcPower 384 Rack-Mount				1 798,00 €

Aolis price list May 2011

ArcControl 1024							
Photo	Description	Product			LED Variant	Model	Retail Price
	2 universes of 512 DMX channels each, Ethernet 10/100MHz for built-in web server and telnet command server, 15V DC / 300mA power supply, built-in real-time clock with 6-month battery back-up, 3 pairs of configurable terminals (0-10V, 50mA); LCD screen 128x64 pixel	ArcControl 1024, Brushed Stainless Steel	1008 0170				895,00 €
		ArcControl 1024, White	1008 0171				895,00 €
		ArcControl 1024, Polished Chrome	1008 0172				895,00 €
		ArcControl 1024, Polished Brass	1008 0173				895,00 €
ArcControl 1							
Photo	Description	Product			LED Variant	Model	Retail Price
		ArcControl 1	1006 5041				58,00 € 0,00 € 129,00 €
ArcSplitter 4, 2x12							
Photo	Description	Product			LED Variant	Model	Retail Price
	4 LEDs outputs, RJ45 sockets for LEDs in/out, no extra PSU needed, sheet metal housing, weight 0.5kg, dimensions (LxWxH): 216mm x 91mm x 32mm	ArcSplitter 4	1006 5001	ArcSplitter 4			176,00 €
	2x 12 LEDs outputs, RJ45 sockets for LEDs in/out, no extra PSU needed, sheet metal housing, weight 1.9 kg, dimensions (LxWxH): 482mm x 150mm x 43mm, rack mountable	ArcSplitter 2x12	1006 0091	ArcSplitter 2x12			353,00 €
ArcDot Driver							
Photo	Description	Product			LED Variant	Model	Retail Price
		ArcDot Driver					658,00 €
DIO-Line standard power 4, 5, 6							
Photo	Description	Product			LED Variant	Model	Retail Price
		DIO-Line standard power 4			WW, NW		0,00 €
		DIO-Line standard power 5			WW, NW		0,00 €
		DIO-Line standard power 6			WW, NW		0,00 €

Aolis price list May 2011

DIO-Line high power 4, 5, 6								
<i>Photo</i>	<i>Description</i>	<i>Product</i>			<i>LED Variant</i>	<i>Model</i>	<i>Colour</i>	<i>Retail Price</i>
		DIO-Line high power 4			WW, NW			144,00 €
		DIO-Line high power 5			WW, NW			171,00 €
		DIO-Line high power 6			WW, NW			209,00 €
DIO-Line Optic 4, 5, 6								
<i>Photo</i>	<i>Description</i>	<i>Product</i>			<i>LED Variant</i>	<i>Model</i>	<i>Colour</i>	<i>Retail Price</i>
		DIO-Line Optic 4			WW, NW	14°, 29°, 23°x6°		149,00 €
		DIO-Line Optic 5			WW, NW	14°, 29°, 23°x6°		178,00 €
		DIO-Line Optic 6			WW, NW	14°, 29°, 23°x6°		218,00 €
DIO-Expoline Optic								
<i>Photo</i>	<i>Description</i>	<i>Product</i>			<i>LED Variant</i>	<i>Model</i>	<i>Colour</i>	<i>Retail Price</i>
		DIO-Expoline Optic			WW, NW	9°, 25°		129,00 €

Signal Sound & Light Distribution GmbH, Ankerweg 1, 8753 Fohnsdorf, Tel: +43/3573/34019, Fax: +43/3573/25019, office@signal.co.at, www.signal.co.at