

Österreichische Bruttoverkaufsliste inkl. 20 % MWst. in Euro
gültig ab Jänner 2012, bis auf Widerruf, Änderungen und Irrtümer vorbehalten



Sapphire Touch

Titan Operating System
Two wide touchscreens
45 motorised faders
8 physical DMX outputs, 12 with ArtNet
Expandable DMX coming soon

30-01-4000

Sapphire Touch Console

€ 31.500

Sapphire Touch Case

€ 1.750

8100-9200

Sapphire Touch Cover

€ 105

Pearl Series Consoles

Titan Expert Pro

6,072 Output Channels with Art-Net

Shape Generator for instant creation of patterns & effects

No fixture limit

No HTTP channel limit

Dimmer with soft patch, with multiple response curves and HTP control

virtually unlimited memories or sequences

Multiple cue lists in a single show

20 Playback Submasters.

Unique Split Roller

4 DMX XLR connectors

Built In Stage Visualiser

MIDI timecode inputs

Personality files for over 4,500 fixtures



30-01-9900

Titan Expert Pro incl. Expert Touch Wing

€ 17.325

30-01-9950

Expert Touch Wing

€ 2.310

Wing interface kit (required for consoles purchased prior to April 2010)

Titan Expert Pro Accessories

30-01-9910

15/17" LCD Monitor Mounting arm (monitor and arm fit in Flightcase)

€ 300

09-01-0068

Flightcase für Pearl Expert (includes space for wing and monitor)

€ 960

8100-9001

Cover for Pearl Expert

€ 89

11-02-0121

Lamp for Pearl Expert

€ 125



Tiger Touch



Runs new Titan operating system
 Unlimited fixtures
 Built in wide touchscreen
 User configurable interface
 CITP media server support with on -screen thumbnails
 Intuitive on-screen cue list editing
 Virtual dimmer for control of LED fixtures
 Graphical attribute editor for control of complex fixtures
 12 lines of DMX throught Art-Net
 4 physical DMX connectors

30-01-3000	Tiger touch console	€ 13.650
09-01-0035	Flightcase	€ 800
8100-9100	Cover	€ 63
11-02-0121	Lamp	€ 125



Titan Mobile

30-01-9800	Titan Mobile Console Titan operating system Very compact and lightweight 4 DMX outputs on Wing Requires Windows PC, Touchscreen recommended	€ 4.620
-------------------	---	---------



Pearl 2010, Shown with included LCD

All Pearl 2010 consoles include:

2,048 Output Channels – 4 full-speed DMX universes
 Colour LCD VGA screen (as shown in picture)
Shape Generator for instant creation of patterns & effects
 240 intelligent lights – full control of any mixture of fixtures
 240 separate Dimmer Control Channels
 Dimmer with soft patch, with multiple response curves and HTP control
 450 memories or sequences
 15 sequences may be run simultaneously
 15 Playback Submasters.
 Reverse printed Poly Carbonate Laminate front panel
 Two Speed silver slim encoder knobs
 Output panel has 4 DMX XLR connectors
 Supplied with PC applications, Visualiser, Pearl Simulation program and Avolites Cache Builder
 Fitted with 3.5 inch, 1.44MB floppy disk drive and USB memory interface
 Bass, Mid, and Treble sound to light triggers
 Theatrical style keypad channel selection and playback control
 MIDI, and MIDI timecode inputs
 Operators Manual and Mains Lead
 Fitted with Extended Memory
 Personality Disks for over 140 fixtures
 Avolites Stage Visualiser, serial connection (runs on a separate PC)
 CD with PC applications including Pearl Simulator and Cache Builder
 USB memory connection
 Pearl 2008 software

30-01-9010	Pearl 2010 Console (with LCD monitor included)	€ 13.650
-------------------	---	----------





Pearl 2010 Accessories

09-01-0068	Flightcase for Pearl 2010	€ 965
8100-9001	Cover for Pearl 2010	€ 89
11-02-0121	Lamp for Pearl 2010	€ 125
32-02-9018	USB memory stick upgrade (PCB and Hardware, Software to be released) for Boris 3	€ 840



Pearl Tiger, (with LCD monitor included)

Features as per pearl 2010:
but with 10 playbacks and a single row of preset faders
and USB memory pen interface



Pearl Tiger Wing

Connects to Pearl Tiger and adds an additional 5 playbacks, giving the same number of playbacks as the Pearl 2010

30-01-7000	Pearl Tiger Console	€ 8.660
30-01-7001	Pearl Tiger Wing	€ 1.040

Pearl Tiger Accesories

8100-9100	Cover for Pearl Tiger	€ 63
09-01-0035	Flightcase for Pearl Tiger	€ 800
11-02-0121	Lamp for Pearl Tiger	€ 125

Powercube



POWERCUBE

12 x 10 amp / 2.5 kW dimmer channels
6 x 16 amp / 3.5 kW hot-power channels
6 x 10 amp / 2.5 kW combined dimmer and hot-power channels
2 x 16 amp CEE utility outlets
RCD per phase
63/3 CEE inlet tail fitted
Socapex or Harting outlets
Soft-patch, internal memories and curve controls
1 - in - 2 - out DMX splitter
Art-Net in and thru to 5-pin DMX

17-85-0001	Single-pole breaker Powercube	€ 5.250
17-85-0002	Neutral Disconnect Powercube	€ 6.130
17-85-0021	Socapex outlet panel	inkludiert
17-85-0022	Harting outlet panel	inkludiert

DMX 512 Splitters & Cables



33-65-1000	Isolated DMX Rack Splitter 1 in 8 Out - 19" 1U Rack Mounting The rack splitter will be 2 in 4+4 out from June 2007 onwards	€ 870
33-65-2000	Isolated DMX Truss Splitter - 1 in 6 Out - Truss Mounting	€ 790

Time Code Converter

33-65-3000	SMPTE Analogue Time Code to MIDI Time Code Conversion Unit	€ 670
------------	--	-------

ART 2000 Touring Dimming Systems



All ART 2000 Touring Systems feature:

- Channels rated at 16 Amps at 100% Duty Cycle.
- Studio Standard Suppression Chokes at 240µ Seconds.
- Flexible, interchangeable modular design: each 12 channel bay can contain Dimming channels or Mains Distribution Switching channels.
- Dual DMX inputs, both with HTP merge and Loop out connectors.
- Fully flexible soft patching on both DMX inputs.
- Rotary Level Faders for each channel with HTP merge.
- Termination switches for both DMX inputs.
- Powerloc Mains Input connectors fitted - 3 Phase + N + E
- 4 off 3 Phase, 63 Amp, Mains Disconnect Breakers.
- Load Lamp Test Facility.
- Amptown Flightcase, on wheels, with removable Front, Rear and Top.
- All Art 2000 Systems are CE Compliant.

Example Systems

The ART 2000 touring systems consist of two frame sizes which are then populated with a number of different modules and fittings. The frame sizes are T2 for 2 modules and T4 for 4 modules. We have shown in each section a basic and full spec system, but you can specify your exact configuration using the Dimming System option quotation sheet, the prices given DO NOT include patch cables. Prices are for guidance only and systems will be built from the quotation sheets.



Modules:

17-80-0018	12 * 16 Amps Dimming Tray	€ 2.060
17-80-0118	12 * 16 Amps DMX Triggered Contactor Tray	€ 2.070
17-80-0019	12 * 16 Amps Breaker Tray	€ 1.070
17-80-0129	Tray Blanking Plate	€ 58
17-80-0033	6 * 32 Amps Dimming Tray	€ 2.190
17-80-0149	3 * 63 Amps Dimming Tray	€ 2.435

Patch Cables: (fitted with Avolites retaining clip)

03-13-0049	Wieland 16 Amp patch cable 0.5m long	€ 12
03-13-0051	Wieland 16 Amp patch cable 0.8m long	€ 12

Interface cable: for uploading software etc.

1808-0016	ART 2000 software upgrade cable	€ 46
-----------	---------------------------------	------

For complete system pricing see the following pages, or Appendix 1 and 2

ART 2000 T4 Example Systems and guide pricing



The systems shown below are examples only. Every system will be built to order as required.

Basic Spec. Includes: Volt meter, Amp meter Phase check indication, Powerlock inputs, MCB breakers, with hot patch 120 dimmer / hot channels to 144 circuits, outputs on 20 of Socapex and 3 x 16 amp Cee form connectors, 4 modules of 12 x 16 amp. (Patch leads not included)

Full Spec. includes: As basic system but with Powerlock in and out, 32 amp Auxillary output, DMX Splitter. (Patch Leads not included)

ART 2000 T4 48 x 16 Amp. Touring Systems.

Basic Touring Spec. 48 x 16A All Dimming Channels	€ 20.520
Full Touring Spec. 48 x 16A All Dimming Channels	€ 21.780
Basic Touring Spec. 48 x 16A All Mains Distro Channels	€ 16.560
Full Touring Spec. 48 x 16A All Mains Distro Channels	€ 17.820

ART 2000 T4 System - 32 Amp System



Basic Spec. Includes: Voltmeter, Ampmeter, Phase check indication, Powerlock inputs, MCB breakers, direct out to Cee 32 connectors, 4 modules of 6 x 32 amp.

Full Spec. Includes: As basic system but with Powerlock in and out, ELDC 32 amp Auxillary output.

ART 2000 T4 24 x 32 Amp. Touring systems

Basic Touring Spec. 24 x 32A All Dimming Channels	€ 19.450
Full Touring Spec. 24 x 32A All Dimming Channels	€ 19.720

ART 2000 T4 System - 63 Amp System

Basic Spec. includes: Voltmeter, Ampmeter, Phase check indication, Camlock inputs, MCB's breakers, direct out to Cee 63 connectors, 4 modules of 3 x 63 amp.

Full Spec. includes : As basic system but with Powerlock in and out, ELDC Ampeter, 32 amp Auxillary output.

ART 2000 T4 6 x 63 Amp. Touring Systems

Basic Touring Spec. 6 x 63A All Dimming Channels	€ 19.990
Full Touring Spec. 6 x 63A All Dimming Channels	€ 21.245

For individual quotation use ART 2000 T4 Dimmer Price and Quotation Sheet (appendix 1)

ART 2000 T2 Example Systems



Basic Sspec. Includes: Voltmeter, Phase check indication, Powerlock inputs, MCB breakers, with hot 60 dimmer/hot channels to 72 circuits, out puts on 10 off Socapex, 16 amp and 32 amp Auxillary connectors and 9 patch power connectors 2 modules of 12 x 16 amp
Patch Leads not included



Full Spec. Includes : As basic but with Powerlock in and out, RCB's Ampmeter
Patch Leads not included

Art 2000 T2 24 x 16 Amp. Touring Systems.

Basic Touring Spec. 24 x 16A All Dimming Channels € 13.550
Full Touring Spec. 24 x 16A All Dimming Channels € 15.760

Basic Touring Spec. 24 x 16A All Mains Distro Channels € 11.570
Full Touring Spec. 24 x 16A All Mains Distro Channels € 13.780



Art 2000 T2 System - 32 Amp System

Basic Spec. Include: Voltmeter, Ampmeter, Phase check indication, Powerlock inputs, MCB breakers,
direct out to Cee 32 connectors, 2 modules of 6 x 32amp

Full Spec. include: As basic with Powerlock in and out, RCB's

Art 2000 T2 12 x 32 Amp. Touring Systems.

Basic Touring Spec. 12 x 32A All Dimming Channels € 12.255
Full Touring Spec. 12 x 32A All Dimming Channels € 13.175

Art 2000 T2 System - 63 Amp System

Basic Spec. Includes: Voltmeter, phase check indication, Powerlock inputs, MCB breakers,
direct out to Cee 63 connectors, 2 modules of 3 x 63 amp

Full Spec. Includes: As basic but with Powerlock in and out, RCB's Ampmeter.

Art 2000 T2 6 x 63 Amp. Touring Systems

Basic Touring Spec. 6 x 63A All Dimming Channels € 12.560

Full Touring Spec. 6 x 63A All Dimming Channels € 13.870

For individual quotation use ART 2000 T2 Dimmer Price and Quotation Sheet (appendix 2)

ART 2000 Dimming Patch and Interface cables

We recommend that a mixture of 0.5m and 0.8m cables are purchased. All cables are fitted with the Avolites clip which prevents cables accidentally coming out of the patch connector.

03-13-0049	Wieland 16 Amp patch cable 0.5m long	€ 12
03-13-0051	Wieland 16 Amp patch cable 0.8m long	€ 12
1808-0016	Interface cable for uploading software etc. ART 2000 software upgrade cable	€ 46

ART 2000 Install Dimming Systems

All install systems are configured to order and there are a large number fo configurations shown below are some of the more popular options to give a price indication, however contact the sales team for an exact quotation, or consult the Art2000 I component price list in appendix 3



All Art 2000 Install Systems feature:

Channels rated at 16 Amps at 100% Duty Cycle.
Studio Standard Suppression Chokes at 240µ Seconds.
2 Bays containing 12 by 16, 6 by 32, 3 by 63 amp or 12 by 16 Amp Switched channels
Panic input switching to a pre determined state
Dual DMX inputs, both with HTP merge



Fully flexible soft patching on both DMX inputs.
Channel test encoder
All Art 2000 Systems are CE Compliant.

Full documentation is available as a free of charge download from www.avolites.com

ART 2000 Install Example Systems

Guide Prices only, for exact quotes use the Install quotation page

24 channels 16 Amp (lowest cost system)	€ 5.330
24 channels 16 Amp with RCB protection	€ 5.850
24 channels 16 Amp with Patching to 48 circuits and RCB protection	€ 7.380
24 channels 16 Amp with Patching to 48 circuits, RCB protection, Mains Isolator switch	€ 7.765
12 channels of 16 Amps 6 channels of 32 Amps with RCB and Mains Isolator	€ 6.060
48 channels of 16 Amps system with Patch and RCB protection	€ 13.490
24 channels of 16 Amps 12 channels of 32 Amps RCB protection	€ 11.755

For details of how these systems are constructed and part numbers see install quotation appendix